


OKUMA MU-500VA-L

Kind : Vertical machining center
Manufacturer : OKUMA
Model : MU-500VA-L
Year : 2010
Serial : 151198
Stock : T16211



TECHNICAL DETAILS

- Number of axes	: 5
MILLING SPINDLE	
- Tool holder type	: HSK63
- Spindle power	: 22 [kW]
- Spindle speeds	: 12000 [rpm]
LINEAR AXES	
- Travels on X/Y/Z axes	: 1250 / 660 / 540 [mm]
- Rapid traverses rates (X/Y/Z)	: 40 / 40 / 32 [mm/min]
- Cutting feed rates (X/Y/Z)	: 32 [m/min]
A ROTARY AXIS	
- Travel	: +20 / -110 [°]
C ROTARY AXIS	
- Speed	: 1000 [rpm]
- Travel	: 360 [°]
TOOL CHANGER	
- Auto. Tool Changer type	: Bras chargeur
- Tool magazine capacity	: 48
TABLE	
- Maximum workpiece diameter	: 730 x 500 [mm]
- Maximum weight upon table	: 500 [kg]
- Distance table / spindle nose (min./max.)	: 127 - 660 [mm]
POWER SUPPLY	
- Supply voltage	: 400 [V]
WEIGHT & DIMENSIONS	
- Machine floor space	: 2.940 x 3.367 [mm]

Kind : Vertical machining center

Manufacturer : OKUMA

Model : MU-500VA-L

Year : 2010

Serial : 151198

Stock : T16211

- Machine height : 3.541 [mm]

- Machine weight : 13.000 [kg]

MACHINE HOURS

- Number of hours under power : 57.114 [h]

- Number of working hours : 23.087 [h]

EQUIPMENT

- CNC : OSP-P200M

- Turning option

- Coolant tank

* with paper filtering unit

- Coolant through spindle

- Chips conveyor

- Oil mist extractor : LOSMA

- Spindle cooling unit

- Tool probe : RENISHAW TS27R

- Workpiece probe : RENISHAW OMP60